

VISIBLE RISK REDUCTION FOR A BROAD RANGE OF SKIN ANTISEPSIS NEEDS^{1,2}



DO WHAT'S RIGHT FOR THE SITE

Why Surgi-Prep®?



Better identification, visually distinct solutions
non-skin-staining **pink** or skin-staining **red**¹



Provides **efficacy** equivalent to ChloroPrep™^{3*}



Clinically tested on both **dry and moist sites**,
such as groin and armpit³. Not all antiseptics
are indicated for moist sites.



Broad spectrum efficacy including multi resistant
S.aureus and multi resistant *E.coli*³



Choice of volume and application options to suit different
healthcare environments¹



PREP WITH CONFIDENCE

Surgi-Prep® is a unique antiseptic solution offering **choice and flexibility, with the reassurance** of visibly distinct tints^{1,3}

THE FIRST REGISTERED VISIBLY DISTINCT SKIN ANTISEPTIC RANGE¹

Pourable format to meet individual patient needs, with less waste

The **only 0.5% chlorhexidine-based** skin antisepsis
approved to meet clinical guidelines⁴



Surgi-Prep® C Red
0.5% chlorhexidine



Surgi-Prep® C Pink
0.5% chlorhexidine



Surgi-Prep® C+ Red
2% chlorhexidine



Surgi-Prep® C+ Pink
2% chlorhexidine

Fast-acting and long lasting: 2% chlorhexidine-based antisepsis
effective within 30 seconds and persists up to 6 hours^{3,5}

VISIBLE RISK REDUCTION FOR A BROAD RANGE OF SKIN ANTISEPSIS NEEDS^{1,2}

Surgi-Prep® C Chlorhexidine 0.5% and Ethanol 70%

PRODUCT DESCRIPTION	PRODUCT CODE
Surgi-Prep® C Red 30mL	5000023484
Surgi-Prep® C Red 100mL	5000023485
Surgi-Prep® C Pink 30mL	5000023478
Surgi-Prep® C Pink 100mL	5000023479
Surgi-Prep® C Pink 500mL	5000023480

Surgi-Prep® C+ Chlorhexidine 2% and Ethanol 70%

PRODUCT DESCRIPTION	PRODUCT CODE
Surgi-Prep® C+ Red 30mL	5000023487
Surgi-Prep® C+ Red 100mL	5000023488
Surgi-Prep® C+ Pink 30mL	5000023481
Surgi-Prep® C+ Pink 100mL	5000023482
Surgi-Prep® C+ Pink 500mL	5000023483

If you have any questions about our products, our Customer Service Team will be pleased to assist you. **They can be contacted on:**

Tel: 1800 805 546 or Email: customerservice@perrigo.com.au

ALWAYS READ THE LABEL. FOLLOW DIRECTIONS FOR USE.

References: **1.** Australia Register of Therapeutic Goods AUST R 319262, 319263, 319264 & 319265. 2019. **2.** Australia and New Zealand College of Anaesthetists (ANZCA). Topical application of chlorhexidine and the risks of accidental injection in regional anaesthesia and vascular access procedures. 2018. Available at: <http://www.anzca.edu.au/documents/8-2-2-anzca-and-acsghc-joint-statement-on-chlorhex.pdf> Last accessed: 31 July 2019. **3.** Perrigo Data on file. **4.** Australia and New Zealand College of Anaesthetists (ANZCA). Guidelines on Infection Control in Anaesthesia. Available at: <https://www.hqsc.govt.nz/assets/Infection-Prevention/Surgical-Site-Infection-Surveillance/SSII-skin-antiseptics-preparation-intervention-guidelines-Feb-2014.pdf>. Last accessed: 31 July 2019. **5.** Reichman DE *et al.* *Revs Obstet Gynecol* 2009; 2(4):212.

*Surgi-Prep® 2% vs. Chloraprep™ 2%.

Surgi-Prep® is a registered trademark of Perrigo Australia. ABN 56 009 293 136. 25–29 Delawney Street, Balcatta, Western Australia, 6021, AUSTRALIA. <https://www.perrigo.com.au>. For Medical Information enquiries: 1800 805 546 or Medicalinfo@perrigo.com.au. To report an adverse event: 1800 805 546 or <https://www.perrigo.com.au/contact/>. 201907-01858V1. August 2019. 15663.



Perrigo®
Australia